



The VLA Pipeline and Data products

Emmanuel Momjian



Pipeline Overview

- With the start of (Jansky) VLA Full Operations (January 2013), pipeline automatically run (~14000 SBs to date):
 - Deliver flagged and calibrated visibility data
 - You will self-calibrate and image visibility data to meet science goals, using resources at home institution or NRAO computing resources
- Automated pipeline should run correctly on all “standard” Stokes I science SBs; “standard” means:
 - 128 MHz spws, but may work on other set-ups as well
 - Some constraints on strength of calibrators needed
 - Contains correctly labeled and complete scan intents

Pipeline Overview

- Current versions available:
 - CASA integrated pipeline: compatible with ALMA pipeline infrastructure, and used as real-time pipeline since Sep 2015
 - “scripted” pipeline: collection of python scripts that use CASA tasks wherever possible, but also uses toolkit calls; readable and easy to modify. It was the original VLA pipeline and in use in real-time pipeline operations from early 2013 and until Sep 2015.

Pipeline Overview

- Real-time pipeline:
 - Minimal human intervention: Pipeline is run automatically on *every* science SB as it completes (not just “continuum”)
 - Pipeline output undergoes basic quality assurance checks by NRAO staff, and detailed checks upon request; reports generated are archived as pipeline products
- At your home institution:
 - Instructions for installation and operation of the VLA CASA Calibration Pipeline are available at <http://go.nrao.edu/vla-pipe>
 - Uses CASA 5.4.1, similar to current real-time pipeline
 - See the VLA CASA pipeline guide at <http://go.nrao.edu/vla-casa-tut>

Pipeline Overview

- Scripted pipelines for CASA versions through 5.3.0 also available
 - Provides more flexibility in how to use the pipeline, options suitable for spectral line datasets, mixed correlator set-ups, multi-band observations, etc.
 - Working to incorporate these into the CASA integrated pipeline

Will the Pipeline work for you?

- The pipeline successfully completes on ~92% of all science SBs observed on the VLA; whether the output can be used for science depends on the science goal, and whether the observations were correctly set up
 - Pipeline includes Hanning smoothing, RFI flagging, and weight calculations that may not be appropriate for (some) spectral line projects.
 - No polarization calibration (yet) but can use pipeline output as a starting point.
 - Will probably work for data taken since May 2012, may work for earlier EVLA data, likely that extra flagging and editing may be needed in these cases

Pipeline Requirements

- “Standard” Stokes I science SB means:
 - 128 MHz spws (64 MHz for L-band; default setup), but may work on other set-ups as well
 - Can work for narrower BWs, depends on the strength of the calibrators
 - Heuristics currently make some assumptions about the strength of the calibrators, in particular, the delay calibrator
 - currently requires the SNR=3 limit on initial gain calibration *per integration*
 - Contains correctly labeled and complete scan intents
 - And also that the observations have been set up correctly!

Pipeline Requirements

- Correct observation set-up
 - Independent of whether you want to run the pipeline!
 - Remember: simple observing set-ups are always easier to calibrate
 - Do not skimp on calibration to spend more time on your target – you may end up not being able to calibrate the target data at all
 - Spending 3 minutes pointing could buy you more sensitivity than doubling the time on your target.

Pipeline Requirements

- Scan intents
 - The pipeline relies entirely on correct *scan intents* to be defined in each SB
 - In order for the pipeline to run successfully on an SB it must contain, *at minimum*, scans with the following intents:
 - A flux density scale calibrator scan that observes one of the primary calibrators (3C48, 3C138, 3C147, or 3C286) – this will also be used as the delay and bandpass calibrator if no bandpass or delay calibrator is defined
 - Complex gain calibrator scans

(Real-Time) Heuristics (I)


- Assuming requirements are met, the pipeline:
 - Loads the data (SDM-BDF → MS)
 - Hanning smooths*
 - Retrieves information about the observing set-up from the data
 - Applies deterministic flags (online flags, shadowed data, end channels of spectral windows, etc.)
 - Identifies primary calibrators and loads models
- *May want to modify inputs and/or omit entirely for spectral line reductions, unless heavily impacted by RFI or dealing with a very strong spectral line feature.

(Real-Time) Heuristics (II)


- Derives all prior calibrations (antenna position corrections, gain curves, atmospheric opacity, requantizer gains)
- Iteratively determines initial delay and bandpass solutions, including running RFLAG, and identifying system problems
- Derives initial gain solutions, does flux density bootstrapping and derives spectral index of all calibrators.
- Derives final delay, bandpass, and complex gain calibrations
- Applies all calibrations to the MS
- Runs RFLAG algorithm on all fields, including target**
- Runs statwt to derive proper relative weights per antenna/spw**

**May want to modify inputs and/or omit entirely for spectral line.


Flow chart (CASA pipeline)



Flow chart



Flow chart



Pipeline Weblog

- Pipeline weblog is created real-time (check while running)
 - Diagnostic plots and tables for most stages.
 - CASA log file by task or as a whole
 - Calibrator images per spw.
-
- Example used here, and in our Pipeline CASA Guide:

casa.nrao.edu/Data/EVLA/Pipeline/CASA5.4.1/html/

Pipeline Weblog

casa.nrao.edu/Data/EVLA/Pipeline/CASA5.4.1/html/



Home

By Topic

By Task

Project Code N/A

Observation Overview

Project	uid://evla/pdb/14411854
Principal Investigator	Prof. Dominik A. Riechers
Observation Start	2013-03-23 05:09:03 UTC
Observation End	2013-03-23 08:05:36 UTC

Pipeline Summary

Pipeline Version	42192 (Pipeline-CASA54-P2-B)
CASA Version	5.4.1-31 (environment)
Pipeline Start	2018-12-09 05:19:55 UTC
Execution Duration	1 day, 6:43:00

Observation Summary

Measurement Set	Receivers	Num Antennas	Time (UTC)			Baseline Length			Size
			Start	End	On Source	Min	Max	RMS	
Scheduling Block ID: uid://evla/pdbsb/17165245									
Session: session_1									
13A-398.sb17165245.eb19476558.56374.213876608796.ms	1cm (Ka) and 3cm (X)	27	2013-03-23 05:09:03	2013-03-23 08:05:36	2:17:48	40.0 m	1.0 km	441.9 m	146.0 GB



Pipeline Weblog



Session: Session_default

13A-398.sb17165245.eb19476558.56374.213876608

Observation Execution Time

Start Time	2013-03-23 05:09:03
End Time	2013-03-23 08:05:36
Total Time on Source	2:55:04
Total Time on Science Target	2:17:48



[LISTOBS OUTPUT](#)

Spatial Setup

Science Targets	'CP1','CP2','CP3','CP4','CP5','CP6','CP7','J1041+0610' and 'J1331+3030'
Calibrators	'J1041+0610' and 'J1331+3030'

Antenna Setup

Min Baseline	40.0 m
Max Baseline	1.0 km
Number of Baselines	351
Number of Antennas	27



Spectral Setup

All Bands	'1cm (Ka)' and '3cm (X)'
Science Bands	'1cm (Ka)' and '3cm (X)'
VLA Bands: Basebands: Freq range: [spws]	X: A0C0: 8.331 GHz to 8.459 GHz: [0] X: B0D0: 8.459 GHz to 8.587 GHz: [1] KA: A1C1: 34.975 GHz to 37.023 GHz: [2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17] KA: B1D1: 30.975 GHz to 33.023 GHz: [34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49] KA: A2C2: 36.975 GHz to 39.023 GHz: [18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33] KA: B2D2: 32.975 GHz to 35.023 GHz: [50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65]

Sky Setup

Min Elevation	39.56 degrees
Max Elevation	82.72 degrees



Pipeline Weblog



Task Summaries

Task	QA Score	Duration
1. hifv_importdata : Register VLA measurement sets with the pipeline	1.00	1:16:06
2. hifv_hanning : VLA Hanning Smoothing	No QA N/A	1:08:14
3. hifv_flagdata : VLA Deterministic flagging	0.93	2:11:50
4. hifv_vlasetjy : Set calibrator model visibilities	1.00	0:35:26
5. hifv_priorcal : Priorcal (gaincurves, opacities, antenna positions corrections, rq gains, and switched power)	No QA N/A	5:54:42
6. hifv_testBPDcals : Initial test calibrations	1.00	2:11:22
7. hifv_flagbaddef : Flag bad deformatters	11.11% antennas affected 0.63	0:04:12
8. hifv_checkflag : Checkflag summary	1.00	2:08:44
9. hifv_semiFinalBPDcals : Semi-final delay and bandpass calibrations	1.00	0:48:21
10. hifv_checkflag : Checkflag summary	1.00	0:36:42
11. hifv_semiFinalBPDcals : Semi-final delay and bandpass calibrations	1.00	0:47:25
12. hifv_solint : Determine solint and Test gain calibrations	No QA N/A	0:28:41
13. hifv_fluxboot : Gain table for flux density bootstrapping	No QA N/A	0:51:07
14. hifv_finalcals : Final Calibration Tables	1.00	1:29:51
15. hifv_applycals : Apply calibrations from context	1.00	1:36:41
16. hifv_targetflag : Targetflag	1.00	1:57:12
17. hifv_statwt : Reweight visibilities	1.00	3:08:54
18. hifv_plotsummary : VLA Plot Summary	1.00	2:08:05
19. hif_makeimlist : Set-up parameters for cont imaging	1.00	0:09:10
20. hif_makeimages : Calculate clean products	1.00	1:10:15

CASA logs and scripts

- [View](#), [view in new tab](#) or [download casa-20181209-051926.log \(35.2 MB\)](#)



Pipeline Weblog

- The following pipeline steps provide key checks for calibration quality:
 - hifv_flagdata *deterministic flagged data fraction*
 - hifv_testBPdcals *hardware problems and other obs. issues*
 - hifv_solint *solution intervals for phase cals, input gain tables*
 - hifv_fluxboot *fitted calibrator flux densities and spectral indices*
 - hifv_finalcals *final calibration tables applied to the data*
 - hifv_plotsummary *useful diagnostic plots of calibrated data*

Deterministic Flags (hifv_flagdata)

- Tasks in execution order**
1. hifv_importdata
 2. hifv_hanning
 3. hifv_flagdata
 4. hifv_vlasetjy
 5. hifv_priorcals
 6. hifv_testBPdcals
 7. hifv_flagbaddef
 8. hifv_checkflag
 9. hifv_semiFinalBPdcals
 10. hifv_checkflag
 11. hifv_semiFinalBPdcals
 12. hifv_solint
 13. hifv_fluxboot
 14. hifv_finalcals
 15. hifv_applycals
 16. hifv_targetflag
 17. hifv_statwt
 18. hifv_plotsummary
 19. hif_makeimlist
 20. hif_makeimages

3. VLA Deterministic Flagging

[BACK](#)

Flagging agents

Measurement Set	ANOS	Shadowed Antennas	Unwanted Intents	Other Online Flags	Flagging Template	Autocorr	Edge Channels	Clipping	Quack	Baseband	Agent Commands
13A-398.sb17165245.eb19476558.56374.213876608796.ms	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	View

Flagging agent status per measurement set.

Template Files

Measurement Set	Other Online Flags			Flagging Template	
	File	Number of Statements	File	Number of Statements	
13A-398.sb17165245.eb19476558.56374.213876608796.ms	13A-398.sb17165245.eb19476558.56374.213876608796.flagonline.txt	2665			

Files used for template flagging steps.

Flagged data summary

Data Selection (by intent)	Before Task	Flagging Agent (Total Vis)			Flagging Agent (Science Vis)							Total Science	Measurement Set	
		ANOS	Shadowed Antennas	Unwanted Intents	Other Online Flags	Flagging Template	Autocorr	Edge Channels	Clipping	Quack	Baseband			
All Data	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	8.84%	13A-398.sb17165245.eb19476558.56374.213876608796.ms

Deterministic Flags (hifv_flagdata)

- Tasks in execution order
1. hifv_importdata
 2. hifv_hanning
 3. hifv_flagdata
 4. hifv_vlasetjy
 5. hifv_priorcals
 6. hifv_testBPDcals
 7. hifv_flagbaddef
 8. hifv_checkflag
 9. hifv_semiFinalBPDcals
 10. hifv_checkflag
 11. hifv_semiFinalBPDcals
 12. hifv_solint
 13. hifv_fluxboot
 14. hifv_finalcals
 15. hifv_applycals
 16. hifv_targetflag
 17. hifv_statwt
 18. hifv_plotssummary
 19. hif_makeimlist
 20. hif_makeimages

Flagged data summary


Data Selection (by intent)	Before Task	Flagging Agent (Total Vis)			Flagging Agent (Science Vis)							Total Science	Measurement Set
		ANOS	Shadowed Antennas	Unwanted Intents	Other Online Flags	Flagging Template	Autocorr	Edge Channels	Clipping	Quack	Baseband		
All Data	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	8.84%
Science Spectral Windows	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	8.84%
Bandpass	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Flux	3.12%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	6.45%	0.08%	3.22%	1.36%	11.12%	11.12%
Phase	3.12%	35.09%	0.00%	0.00%	0.24%	0.00%	0.00%	6.44%	0.23%	1.26%	1.39%	9.56%	9.56%
Target	3.12%	6.05%	0.00%	0.00%	0.82%	0.00%	0.00%	6.40%	0.09%	0.00%	1.40%	8.71%	8.71%
13A-398.sb17165245.eb19476558.56374.213876608796.ms	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	8.84%

Summary of flagged data. Each cell states the amount of data flagged as a fraction of the specified data selection, with the *Flagging Agent* columns giving this information per flagging agent.

Flagging reason vs time

Plots of flagging reason vs time. The reasons for flagging the data are defined in the plot legend.

13A-398.sb17165245.eb19476558.56374.213876608796.ms



Deterministic Flags (hifv_flagdata)

Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetjy
5. hifv_priorcals
6. hifv_testBPDcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPDcals
10. hifv_checkflag
11. hifv_semiFinalBPDcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

Flagged data summary


Data Selection (by intent)	Before Task	Flagging Agent (Total Vis)			Flagging Agent (Science Vis)							Total Science	Measurement Set
		ANOS	Shadowed Antennas	Unwanted Intents	Other Online Flags	Flagging Template	Autocorr	Edge Channels	Clipping	Quack	Baseband		
All Data	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	8.84%
Science Spectral Windows	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	8.84%
Bandpass	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Flux	3.12%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	6.45%	0.08%	3.22%	1.36%	11.12%	11.12%
Phase	3.12%	35.09%	0.00%	0.00%	0.24%	0.00%	0.00%	6.44%	0.23%	1.26%	1.39%	9.56%	9.56%
Target	3.12%	6.05%	0.00%	0.00%	0.82%	0.00%	0.00%	6.40%	0.09%	0.00%	1.40%	8.71%	8.71%
13A-398.sb17165245.eb19476558.56374.213876608796.ms	3.12%	10.20%	0.00%	0.28%	0.75%	0.00%	0.00%	6.40%	0.11%	0.19%	1.40%	8.84%	

Summary of flagged data. Each cell states the amount of data flagged as a fraction of the specified data selection, with the *Flagging Agent* columns giving this information per flagging agent.

Flagging reason vs time

Plots of flagging reason vs time. The reasons for flagging the data are defined in the plot legend.

13A-398.sb17165245.eb19476558.56374.213876608796.ms




Deterministic Flags (hifv_flagdata)

Home By Topic By Task

Tasks in execution order

1. hifv_importdata
2. hifv_binning
3. hifv_calibrate
4. hifv_vlaasety
5. hifv_priorcal
6. hifv_testBPDcal
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPDcal
10. hifv_checkflag
11. hifv_semiFinalBPDcal
12. hifv_splint
13. hifv_fluxboot
14. hifv_finalcal
15. hifv_applycal
16. hifv_targetflag
17. hifv_atatwt
18. hifv_plotsummary
19. hif_makeimlist
20. hif_makeimages

Project Code N/A



		Measurement Set	
Total	13A-		
Science	398.sb17165245.eb19476558.56		
8.84%	8.84%		
8.84%	8.84%		
N/A	N/A		
11.12%	11.12%		
9.58%	9.58%		
8.71%	8.71%		
8.84%			

Hardware Issues (hifv_testBPdcals)

Home By Topic By Task Project Code N/A

Tasks in execution order

- 1. hifv_importdata
- 2. hifv_hanning
- 3. hifv_flagdata
- 4. hifv_vlasetj
- 5. hifv_priorcals
- 6. hifv_testBPdcals** ⓘ
- 7. hifv_flagbaddef ⓘ
- 8. hifv_checkflag ⓘ
- 9. hifv_semiFinalBPdcals ⓘ
- 10. hifv_checkflag ⓘ
- 11. hifv_semiFinalBPdcals ⓘ
- 12. hifv_solint ⓘ
- 13. hifv_fluxboot ⓘ
- 14. hifv_finalcals ⓘ
- 15. hifv_applycals ⓘ
- 16. hifv_targetflag ⓘ
- 17. hifv_statwt ⓘ
- 18. hifv_plotsummary ⓘ
- 19. hif_makeimlist ⓘ
- 20. hif_makeimages ⓘ

6. Initial test calibrations BACK

Task notifications


Warning! Antenna 20, spws: 50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65 have a flagging fraction of 1.0.

Initial test calibrations using bandpass and delay calibrators

Plots: [Test delay plots](#) | [Gain Amplitude](#) | [Gain Phase](#) | [BP Amp solution](#) | [BP Phase solution](#)

testBPdcals summary plot

13A-398.sb17165245.eb19476558.56374.213876608796.ms



Initial calibrated bandpass

Pipeline QA


Input Parameters

Tasks Execution Statistics

CASA logs for stage 6

- [View](#) or [download](#) stage6/casapy.log (479.7 KB)

Hardware Issues (hifv_testBPdcal)



Hardware Issues (hifv_testBPdcal)


Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_viasety
5. hifv_priorcals
6. hifv_testBPdcal **1**
7. hifv_flagbaddef **2**
8. hifv_checkflag
9. hifv_semiFinalBPdcal **3**
10. hifv_checkflag
11. hifv_semiFinalBPdcal **4**
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals **5**
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist **6**
20. hif_makeimages

Amp Gain Plots

BACK

Plots: Test delay plots | Gain Amplitude | Gain Phase | BP Amp solution | BP Phase solution




Hardware Issues (hifv_testBPdcal)

- Tasks in execution order
1. hifv_importdata
 2. hifv_hanning
 3. hifv_flagdata
 4. hifv_vlasetij
 5. hifv_priorcals
 6. hifv_testBPdcal
 7. hifv_flagbaddef
 8. hifv_checkflag
 9. hifv_semiFinalBPdcal
 10. hifv_checkflag
 11. hifv_semiFinalBPdcal
 12. hifv_solint
 13. hifv_fluxboot
 14. hifv_finalcals
 15. hifv_applycals
 16. hifv_targetflag
 17. hifv_statwt
 18. hifv_plotsummary
 19. hif_makeimlist
 20. hif_makeimages


Phase Gain Plots

BACK

Plots: Test delay plots | Gain Amplitude | Gain Phase | BP Amp solution | BP Phase solution



Hardware Issues (hifv_testBPdcal)



Hardware Issues (hifv_testBPdcal)


Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetjy
5. hifv_priorcals
6. hifv_testBPdcal
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcal
10. hifv_checkflag
11. hifv_semiFinalBPdcal
12. hifv_sollint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

Bandpass Amp Solution Plots

BACK

Plots: Test delay plots | Gain Amplitude | Gain Phase | **BP Amp solution** | BP Phase solution



Hardware Issues (hifv_testBPdcal)


Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetjy
5. hifv_priorcals
6. hifv_testBPdcal
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcal
10. hifv_checkflag
11. hifv_semiFinalBPdcal
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

Bandpass Phase Solution Plots

BACK

Plots: [Test delay plots](#) | [Gain Amplitude](#) | [Gain Phase](#) | [BP Amp solution](#) | **BP Phase solution**



Gain Solution Intervals (hifv_solint)

Project Code N/A

Home By Topic By Task

Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetij
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
- 12. hifv_solint**
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

12. Solution Interval and test gain calibrations

BACK

Determine the solution interval for a scan-average equivalent, and do test gain calibrations to establish a short solution interval.

- The long solution interval is: 75.7500005644s.
- The short solution interval used is: 3.0s.

Plots [Testgains amp plots](#) | [Testgains phase plots](#)

Pipeline QA

Input Parameters

Tasks Execution Statistics

CASA logs for stage 12

- [View or download stage12/casapy.log \(466.3 KB\)](#)

Gain Solution Intervals (hifv_solint)

Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_viasety
5. hifv_priorcals
6. hifv_testBPDcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPDcals
10. hifv_checkflag
11. hifv_semiFinalBPDcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages


Testgains Amp Plots

BACK

Plots: [Testgains amp plots](#) | [Testgains phase plots](#)



Gain Solution Intervals (hifv_solint)



Flux Density Bootstrapping (hifv_fluxboot)

Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasety
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

13. Flux density bootstrapping and spectral index fitting



BACK

Make a gain table that includes gain and opacity corrections for final amp cal and for flux density bootstrapping.

Fit the spectral index of calibrators with a power-law and put the fit in the model column.

Fluxboot summary plots

13A-398.sb17165245.eb19476558.56374.213876608796.ms



Source	Band	Fitted Spectral Index	Fitted Curvature	Fit Order
J1041+0610	A	-0.5162 +/- 0.0000	0.0000 +/- 0.0000	1

Spectral Indices

Source	Frequency [GHz]	Data	Error	Fitted Data	Residual: Data-Fitted Data
J1041+0610	31.04	0.6821	0.031232	0.6911	-0.009075
	31.168	0.6822	0.029245	0.6827	0.000631
	31.296	0.6891	0.028225	0.6882	0.000882
	31.424	0.6824	0.030953	0.6868	-0.004370
	31.552	0.6829	0.031664	0.6853	-0.002452
	31.68	0.6790	0.030396	0.6839	-0.004872
	31.808	0.6793	0.032311	0.6825	-0.003126
	31.936	0.6834	0.031943	0.6811	0.002309

Final Calibration Tables (hifv_finalcals)

Project Code N/A

Home By Topic By Task

Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasety
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

14. Final calibration tables

[BACK](#)

Task notifications

- Warning! Antenna 11, spws: 33 have a flagging fraction of 1.0.
- Warning! Antenna 18, spws: 34 have a flagging fraction of 1.0.
- Warning! Antenna 20, spws: 50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65 have a flagging fraction of 1.0.
- Warning! Antenna 21, spws: 33 have a flagging fraction of 1.0.

Make the final calibration tables.

Plots:
[Final delay plots](#) | [BP initial gain phase](#) | [BP Amp solution](#) | [BP Phase solution](#) | [Phase \(short\) gain solution](#) | [Final amp time cal](#) | [Final amp freq cal](#) | [Final phase gain cal](#)

Pipeline QA

Input Parameters

Tasks Execution Statistics

CASA logs for stage 14

- [View or download stage14/casapy.log \(706.7 KB\)](#)

Final Calibration Tables (hifv_finalcals)

Tasks in execution order


1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetij
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

Final Delay plots


BACK

Plots:


Final delay plots | BP initial gain phase | BP Amp solution | BP Phase solution | Phase (short) gain solution | Final amp time cal | Final amp freq cal | Final phase gain cal



Final Calibration Tables (hifv_finalcals)



Final Calibration Tables (hifv_finalcalcs)




Final Cal Tables: bandpass

- Tasks in execution order
1. hifv_importdata
 2. hifv_hanning
 3. hifv_flagdata
 4. hifv_vlasetjy
 5. hifv_priorcals
 6. hifv_testBPdcals
 7. hifv_flagbaddef
 8. hifv_checkflag
 9. hifv_semiFinalBPdcals
 10. hifv_checkflag
 11. hifv_semiFinalBPdcals
 12. hifv_solint
 13. hifv_fluxboot
 14. hifv_finalcals
 15. hifv_applycals
 16. hifv_targetflag
 17. hifv_statwt
 18. hifv_plotsummary
 19. hif_makeimlist
 20. hif_makeimages


Bp Amp Solution plots

BACK

Plots: Final delay plots | BP initial gain phase | **BP Amp solution** | BP phase solution | Phase (short) gain solution | Final amp time cal | Final amp freq cal | Final phase gain cal



Final Cal Tables: bandpass



Final Cal Tables: bandpass

Tasks in execution order


1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetij
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

Bp Phase Solution plots


BACK

Plots:

Final delay plots | BP initial gain phase | BP Amp solution | **BP Phase solution** | Phase (short) gain solution | Final amp time cal | Final amp freq cal | Final phase gain cal



Final Cal Tables: bandpass



Final Cal Tables: amplitude and phase

Tasks in execution order


1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetjy
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_sollint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

Final Amp Time Cal plots

BACK

Plots:

Final delay plots | BP initial gain phase | BP Amp solution | BP Phase solution | Phase (short) gain solution | Final amp time cal | Final amp freq cal | Final phase gain cal




Final Cal Tables: amplitude and phase

BACK

Final Amp Freq Cal plots

Plots:

Final delay plots | BP initial gain phase | BP Amp solution | BP Phase solution | Phase (short) gain solution | Final amp time cal | **Final amp freq cal** | Final phase gain cal



Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetjy
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotssummary
19. hif_makeimlist
20. hif_makeimages

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20

Final Cal Tables: amplitude and phase

Tasks in execution order


1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetj
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotsummary
19. hif_makeimlist
20. hif_makeimages

Final Phase Gain Cal plots

BACK

Plots:

Final delay plots | BP initial gain phase | BP Amp solution | BP Phase solution | Phase (short) gain solution | Final amp time cal | Final amp freq cal | Final phase gain cal



Summary Plots (hifv_plotsummary)

Tasks in execution order

1. hifv_importdata
2. hifv_hanning
3. hifv_flagdata
4. hifv_vlasetjy
5. hifv_priorcals
6. hifv_testBPdcals
7. hifv_flagbaddef
8. hifv_checkflag
9. hifv_semiFinalBPdcals
10. hifv_checkflag
11. hifv_semiFinalBPdcals
12. hifv_solint
13. hifv_fluxboot
14. hifv_finalcals
15. hifv_applycals
16. hifv_targetflag
17. hifv_statwt
18. hifv_plotsummary
19. hif_makeimlist
20. hif_makeimages


18. Plot Summary

BACK


VLA Pipeline Summary Plots

Phase vs. time for all calibrators, Amp vs. UVwave for all calibrators, as well as a representative selection of fields with intent='TARGET' with Amp vs. UVwave plots.


13A-398.sb17165245.eb19476558.56374.213876608796.ms




Summary Plots (hifv_plotsummary)




Summary Plots (hifv_plotsummary)



Summary Plots (hifv_plotsummary)



Summary Plots (hifv_plotsummary)



Calibrator Images (hif_makeimages)

- Tasks in execution order**
1. hifv_importdata
 2. hifv_hanning
 3. hifv_flagdata
 4. hifv_vlasetjy
 5. hifv_priorcals
 6. hifv_testBPDcals
 7. hifv_flagbaddef
 8. hifv_checkflag
 9. hifv_semiFinalBPDcals
 10. hifv_checkflag
 11. hifv_semiFinalBPDcals
 12. hifv_solint
 13. hifv_fluxboot
 14. hifv_finalcals
 15. hifv_applycals
 16. hifv_targetflag
 17. hifv_statwt
 18. hifv_plotssummary
 19. hif_makeimlist
 20. hif_makeimages

20. Tclean/Makelmages

Calculate clean products

BACK


Task notifications

Warning! tclean reached niter limit of 5000 for J1041+0610 / spw2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65 !

Image Details

Field	Spw
J1041+0610 (PHASE)	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65 / EVLA_KA#A1C1#2, EVLA_KA#A1C1#3, EVLA_KA#A1C1#4, EVLA_KA#A1C1#5, EVLA_KA#A1C1#6, EVLA_KA#A1C1#7, EVLA_KA#A1C1#8, EVLA_KA#A1C1#9, EVLA_KA#A1C1#10, EVLA_KA#A1C1#11, EVLA_KA#A1C1#12, EVLA_KA#A1C1#13, EVLA_KA#A1C1#14, EVLA_KA#A1C1#15, EVLA_KA#A1C1#16, EVLA_KA#A1C1#17, EVLA_KA#A2C2#18, EVLA_KA#A2C2#19, EVLA_KA#A2C2#20, EVLA_KA#A2C2#21, EVLA_KA#A2C2#22, EVLA_KA#A2C2#23, EVLA_KA#A2C2#24, EVLA_KA#A2C2#25, EVLA_KA#A2C2#26, EVLA_KA#A2C2#27, EVLA_KA#A2C2#28, EVLA_KA#A2C2#29, EVLA_KA#A2C2#30, EVLA_KA#A2C2#31, EVLA_KA#A2C2#32, EVLA_KA#A2C2#33, EVLA_KA#B1D1#34, EVLA_KA#B1D1#35, EVLA_KA#B1D1#36, EVLA_KA#B1D1#37, EVLA_KA#B1D1#38, EVLA_KA#B1D1#39, EVLA_KA#B1D1#40, EVLA_KA#B1D1#41, EVLA_KA#B1D1#42, EVLA_KA#B1D1#43, EVLA_KA#B1D1#44, EVLA_KA#B1D1#45, EVLA_KA#B1D1#46, EVLA_KA#B1D1#47, EVLA_KA#B1D1#48, EVLA_KA#B1D1#49, EVLA_KA#B2D2#50, EVLA_KA#B2D2#51, EVLA_KA#B2D2#52, EVLA_KA#B2D2#53, EVLA_KA#B2D2#54, EVLA_KA#B2D2#55, EVLA_KA#B2D2#56, EVLA_KA#B2D2#57, EVLA_KA#B2D2#58, EVLA_KA#B2D2#59, EVLA_KA#B2D2#60, EVLA_KA#B2D2#61, EVLA_KA#B2D2#62, EVLA_KA#B2D2#63, EVLA_KA#B2D2#64, EVLA_KA#B2D2#65

Pol	Image details
	centre 35.0009GHz frequency (LSRK) of image
	beam 2.09 x 1.86 arcsec
	beam p.a. 5.3deg
	final theoretical sensitivity
	cleaning threshold
	clean residual peak / scaled MAD
	non-pbcor image RMS
	pbcor 0.631 /




Calibrator Images (hif_makeimages)

- Tasks in execution order
1. hifv_importdata
 2. hifv_hanning
 3. hifv_flagdata
 4. hifv_vlasetjy
 5. hifv_priorcals
 6. hifv_testBPDcals
 7. hifv_flagbaddef
 8. hifv_checkflag
 9. hifv_semiFinalBPDcals
 10. hifv_checkflag
 11. hifv_semiFinalBPDcals
 12. hifv_solint
 13. hifv_fluxboot
 14. hifv_finalcals
 15. hifv_applycals
 16. hifv_targetflag
 17. hifv_statwt
 18. hifv_plotsummary
 19. hif_makeimlist
 20. hif_makeimages

Clean results for J1041+0610 (PHASE) SpW
2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,

BACK



Pipeline Products and Output

- Flag versions and calibration tables (archived)
- Calibrated MS (available for 15 days, not archived)
- Logs, including weblog used by quality assurance (QA) staff and QA report.

Pipeline Products and Outputs

- The real-time pipeline produces a calibrated and flagged MS:
 - The products can be requested through the helpdesk (help.nrao.edu, VLA Pipeline Department):
 - For download over the internet, or for shipping on hard disk(s).
 - You may request a detailed QA2 report from the data analysts
 - If you are happy with the pipeline calibration, then:
 - Do further flagging if necessary
 - Split out your target and image
 - If you have the SDM or uncalibrated MS and the calibration and flag tables, instructions for applying flags and calibration tables may be found at <http://go.nrao.edu/vla-pipe>

Pipeline Products and Outputs


- In some cases the pipeline and/or the MS may need to be modified
 - Download the SDM from the archive plus pipeline scripts
 - Follow the directions at <http://go.nrao.edu/vla-pipe>
- In some cases the pipeline heuristics may not be appropriate for your data (e.g., some L-band set-ups do not work well with the pipeline yet)
 - Reduce data by hand

Known failure modes and issues

- In general the pipeline does very well, but there are possible failure modes:
 - No flux density or gain calibrator intents defined, or flux density calibrator not one for which we have models
 - *work around in scripted pipeline*
 - Wrong scan intents
 - *work around in scripted pipeline*
 - Does not always identify deformatter problems (but does NOT usually have false positives – L-band may be an exception)
 - *flag remaining bad spws*
 - Calibrators are too weak for given spw bandwidth
 - *heuristics have been developed and are currently being implemented*



Known failure modes and issues

ea21 bandpass, bad data (DTS issue)




Known failure modes and issues

ea18 Amp **and** Phase affected (DTS issue for 37-39GHz)






Known failure modes and issues

ea10 bandpass, bad data (DTS issue); ea11, ea12 OK



Known failure modes and issues

ea07 bandpass, bad data (DTS issue); ea08, ea09 OK



Spectral line data

- Several steps in the real-time pipeline may not be appropriate for spectral line data:
 - Hanning smoothing (increases effective channel width)
 - Flags 5% of *each* spw edge and the first and last 10 channels of each baseband
 - Last run of RFLAG on target (may eliminate your line as interference!)
 - Statwt calculates rms based on scatter of channels per spw, per visibility; may want to run manually with channel selection turned on to eliminate use of channels containing line emission in calculating the rms
- With the above modifications, the pipeline will work with spectral line data as long as the calibrators are strong enough

Mixed correlator set-ups

- With the new WIDAR capabilities it is common to observe both wide and narrow spws to obtain both continuum and spectral line data simultaneously or multiple receiver bands
 - A single heuristic (e.g., gain calibration solution interval) for entire dataset may not be appropriate
- Solution:
 - Run pipeline through application of deterministic flags, including Hanning smoothing if you are going to use it
 - Split the MS by spw and/or scans
 - Run pipeline on split MSs WITHOUT Hanning smoothing (you have already applied it, if you are going to use it)
 - Warning: output flagging statistics may not be correct

Future Developments

- Heuristics for Stokes I continuum now well-tested and stable: minor modifications allow the pipeline to be used for certain spectroscopy projects as well
- Other heuristics:
 - Weak bandpass calibrators: implemented but not well tested
 - Weak phase calibrators: defined
 - Polarimetry: tested for VLASS
 - Imaging under development, including the use of autoboxing.
 - Uses standard gridder
 - VLASS uses mosaic gridder, AW projection under testing
- Heuristics developed in consultation with expert users and staff; feedback, suggestions welcome!

Questions?

- VLA CASA Calibration Pipeline information at:

<http://go.nrao.edu/vla-pipe>

CASA Integrated Pipeline & Scripted Pipeline available

- Have Questions?
 - Need Help?
 - Report a bug?
- Use the **NRAO HelpDesk**: <https://help.nrao.edu/>
- Submit your ticket under the **Pipeline Department**.
- Please include specific details when submitting HelpDesk tickets.
(Project code, SB number, CASA/PL versions, errors, etc.)



www.nrao.edu
science.nrao.edu
public.nrao.edu

*The National Radio Astronomy Observatory is a facility of the National Science Foundation
operated under cooperative agreement by Associated Universities, Inc.*